



Pony Testing International Group

Report No.: I05233038516D~1

# MSDS Report

Sample Description & Model      LiNiMnCoO<sub>2</sub> Cylindrical Li-ion Rechargeable Battery  
( INR14500A80 )

Applicant      Changde Yiklik Energy Limited

Address      Anxiang Industrial Zone, HuNan Province, P.R.China

No.: I05233038516D  
Code: h06w2z



www.ponytest.com

Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3

上海市徐汇区林平路680号

深圳市南山区创业路中兴

青岛市崂山区林荫路190

Tel: (010) 82618116

(021) 64951999

(0755) 26654939

(0532) 88706866

Add: 天津市南开区红旗路嘉里

宁波市高新区新辉路150号

广州市海珠区敦和路189号

Tel: (022) 27360730

(0574) 87756499

(020) 89224310





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 1 of 10

## Material Safety Data Sheet

According to ISO11014:2009 &amp; GB16483-2008

### Section 1 - Chemical Product and Company Identification

#### Chemical product identification

Sample Description: LiNiMnCoO<sub>2</sub> Cylindrical Li-ion Rechargeable Battery

Sample Model: INR14500A80

Sample Uses: Computer, Moped, Mobile power

#### Company identification

Manufacturer: Changde Yiklik Energy Limited

Address: Anxiang Industrial Zone, HuNan Province, P.R.China

Tel: 0736-4338338

Fax: 0736-4338333

Post code: 415600

Further Information obtainable from

Emergency telephone: 0736-4338338

E-mail: yangh@yiklik.com

### Section 2 - Hazards Identification

No harm at the normal use. If contact the electrolyte in the battery, reference as follows:

#### Classification of the substance or mixture

##### Classification according to GHS

Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 3)

Skin, irritate (Category 1B)

Eyes, irritate (Category 1)

#### Label elements

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H311: Toxic in contact with skin.





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 2 of 10

H314: Causes severe skin burns and eye damage  
H302: Harmful if swallowed.

**Precautionary statement(s):**

Prevention: P280: Wear protective gloves/protective clothing/eye protection / face protection.

Response: P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Disposal: P501: Dispose of contents/container in accordance with local/national regulations

**Other hazards**

No information available.

### Section 3 - Composition, Information on Ingredients

**Chemical characterization: Mixture**

Chemical Composition	CAS No.	EC#	Weight (%)
Lithium Manganese Nickel And Cobalt	182442-95-1	---	≤40
Graphite	7782-42-5	231-955-3	≤18
Lithium Hexafluorophosphate	21324-40-3	244-334-7	≤18
Copper	7440-50-8	231-159-6	≤10
Aluminum	7429-90-5	231-072-3	≤5
Plastic	9002-86-2	208-750-2	≤2
PVDF	24937-79-9	200-867-7	≤1
Nickel	7440-02-0	231-853-9	0.5

### Section 4 - First Aid Measures

**Description of first aid measures**

General information No special measures required.





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 3 of 10

#### After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

#### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

#### After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

#### After swallowing

Do not induce vomiting. Get medical attention.

#### Information for doctor:

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## Section 5 - Fire Fighting Measures

**Flammability:** Not available.

#### Extinguishing media

#### Suitable extinguishing agents

Use extinguishing agent suitable for local conditions and the surrounding environment .  
Such as dry powder , CO<sub>2</sub>.

#### Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

#### Advice for firefighters

**Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit.

## Section 6 - Accidental Release Measures





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 4 of 10

### **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

### **Environmental precautions**

Do not allow material to be released to the environment without proper governmental permits.

### **Steps to be taken in case material is spilled or released**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

### **Waste disposal method**

All waste must refer to the United Nations, the national and local regulations for disposal.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **Section 7 - Handling and Storage**

### **Handling**

#### **Precautions for safe handling**

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

#### **Information about fire and explosion protection**

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

### **Conditions for safe storage, including any incompatibilities**

#### **Requirements to be met by storerooms and receptacles**

Store in a cool, dry, well-ventilated place.

#### **Information about storage in one common storage facility**

Keep away from heat, avoiding the long time of sunlight.

#### **Further information about storage conditions**

Keep container tightly sealed.

#### **Specific and use**

No further relevant information available.





Pony Testing International Group

Report No.: I05233038516D~1 Date: 06.05.2014 Page 5 of 10

## Section 8 - Exposure Controls, Personal Protection

### Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

12190-79-3 Lithium Cobalt Oxide

TLV (USA) 0.02mg/m<sup>3</sup>.MAK(Germany) 0.1mg/m<sup>3</sup>.

### Exposure controls

#### Personal protective equipment

##### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

##### Respiratory Protection

Use suitable respirator when high concentrations are present.

#### Personal Protection

##### Protection of hands



Protective gloves

##### Eye protection



Tightly sealed goggles

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

#### General information

Appearance:

Yellow.

Form:

Cylindrical.

www.ponytest.com

Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3  
号盈智大厦  
Tel: (010) 82618116

上海市徐汇区桂平路680号  
35号楼4层  
(021) 64851999

深圳市南山区创业路中兴  
工业城6栋1层  
(0755) 26050909

青岛市崂山区株洲路190  
号6层  
(0532) 88706866

Add: 天津市南开区红旗路赢  
大厦10层  
Tel: (022) 27360730

宁波市高新区新晖路150号  
二期4号楼4层  
(0574) 87736499

广州市海珠区敦和路189号  
海珠科技园3号楼7层  
(020) 89224310





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 6 of 10

<b>Odour:</b>	Odorless.
<b>pH:</b>	Not available.
<b>Change in condition</b>	
<b>Melting point:</b>	Not available.
<b>Boiling point:</b>	Not available.
<b>Freezing point</b>	Not available.
<b>Flash point:</b>	Not available.
<b>Flammability:</b>	Not available.
<b>Ignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Self-igniting:</b>	Not available.
<b>Danger of explosion:</b>	Not available.
<b>Explosion limits</b>	
<b>Lower:</b>	Not available.
<b>Upper:</b>	Not available.
<b>Oxidizing properties:</b>	Not available.
<b>Vapour pressure:</b>	Not available.
<b>Density:</b>	Not available.
<b>Relative density:</b>	Not available.
<b>Vapour density:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Solubility in/Miscibility with water:</b>	Not available.
<b>n-octanol/water partition coefficient:</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Dynamic:</b>	Not available.
<b>Kinematic:</b>	Not available.
<b>Other information:</b>	
<b>Voltage</b>	3.6V
<b>Electric capacity</b>	2050mAh

### Section 10 - Stability and Reactivity

**Reactivity:** Data not available.

**Chemical stability:** Stable.

**Possibility of hazardous reactions:** Data not available.





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 7 of 10

**Conditions to Avoid**

Flames, sparks, and other sources of ignition, incompatible materials.

**Incompatibilities**

Oxidizing agents, acid, base.

**Hazardous Combustible Products**

Carbon monoxide, carbon dioxide, lithium oxide fumes.

**Hazardous Polymerization**

N/A.

## Section 11 - Toxicological Information

**Information on toxicological effects****Acute toxicity****LD/LC50 Values relevant for classification:**

Not available.

**Primary irritant effect**

No further relevant information available.

**Sensitization:**

No further relevant information available.

**Additional toxicological information:****Toxicological, metabolism and distribution:**

No further relevant information available.

**Acute effects (acute toxicity, irritation and corrosivity):**

No further relevant information available.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

No further relevant information available.

## Section 12 - Ecological Information

**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.**Behaviour in environmental systems****Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.

www.ponytest.com

Hotline 400-819-5688

Add: 北京市海淀区苏州街19-3  
号盈智大厦  
Tel: (010) 82618116

上海市徐汇区桂平路680号  
35号楼4层  
(021) 64851999

深圳市南山区创业路中兴  
工业城6栋1层  
(0755) 26050909

青岛市崂山区株洲路190  
号6层  
(0532) 88706866

Add: 天津市南开区红旗路聚豪  
大厦10层  
Tel: (022) 27360730

宁波市高新区新晖路150号  
二期4号楼4层  
(0574) 87736499

广州市海珠区敦和路189号  
海珠科技园3号楼7层  
(020) 89224310





Pony Testing International Group

Report No : I05233038516D~1 Date: 06.05.2014 Page 8 of 10

### Ecological effects

#### Additional ecological information

#### General notes:

Do not allow material to be released to the environment without proper governmental permits.

**Other adverse effects:** No further relevant information available.

## Section 13 - Disposal Considerations

### Waste treatment methods

#### Recommendation:

Consult state, local or national regulations to ensure proper disposal.

### Uncleaned packaging

**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information

<b>UN Number</b>	
<b>IATA</b>	UN3480
<b>IMDG</b>	N/A
<b>Model Regulation</b>	N/A
<b>UN Proper shipping name</b>	
<b>IATA</b>	Lithium Ion Batteries
<b>IMDG</b>	N/A
<b>Model Regulation</b>	N/A
<b>Transport hazard class(es)</b>	
<b>IATA</b>	9
<b>IMDG</b>	N/A
<b>Model Regulation</b>	N/A
<b>Packing group</b>	
<b>IATA</b>	N/A
<b>IMDG</b>	N/A
<b>Model Regulation</b>	N/A
<b>Environmental hazards</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Not applicable.





Pony Testing International Group

**Transport information:** The LiNiMnCoO<sub>2</sub> Cylindrical Li-ion Rechargeable Battery (INR18650A205) has passed the test UN38.3, according to the report ID: I05233038121D and I05233038121D~1.

Exceeds the standard of Table 965-II, so it belongs to dangerous goods. Be shipped by passenger and cargo aircraft. The goods are packaged according to the packaging instruction 965 Section I B of DGR 55<sup>th</sup>.

According to the special provision 188 of IMDG (36-12) or the <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (18<sup>th</sup>). The products are not subject to dangerous goods.

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

**Transport Fashion:** By air, by sea, by railway, by road.

**Packaging Information:** Carton Packing.

## Section 15 - Regulatory Information

**This Material Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Composition	CAS#	TSCA	EC#	EINECS
Lithium Manganese Nickel And Cobalt	182442-95-1	Listed	---	Not Listed
Graphite	7782-42-5	Listed	231-955-3	Listed
Lithium Hexafluorophosphate	21324-40-3	Listed	244-334-7	Listed
Copper	7440-50-8	Listed	231-159-6	Listed
Aluminum	7429-90-5	Listed	231-072-3	Listed
Plastic	9002-86-2	Listed	208-750-2	Listed
PVDF	24937-79-9	Listed	200-867-7	Listed
Nickel	7440-02-0	Listed	231-853-9	Listed





Pony Testing International Group

Report No. : I05233038516D~1 Date: 06.05.2014 Page 10 of 10

## Section 16 - Additional Information

### Abbreviations and acronyms

<b>CLP:</b>	EU regulation (EC) No 1272/2008 on classification, labelling and packaging of chemical substances and mixtures.
<b>CAS:</b>	Chemical Abstracts Service (Division of the American Chemical Society).
<b>ACGIH:</b>	American Conference of Governmental Industrial Hygienists
<b>TLV:</b>	Threshold Limit Value
<b>IATA:</b>	International Air Transport Association
<b>IMDG:</b>	International Maritime Dangerous Goods
<b>LC50:</b>	lethal concentration, 50 percent kill
<b>LD50:</b>	lethal dose, 50 percent kill
<b>TWA</b>	Time Weighted Average
<b>TSCA</b>	United States Toxic Substances Control Act Section 8(b) Inventory
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>Model</b>	Recommendations on the Transport of Dangerous Goods Model
<b>Regulation</b>	Regulations

### Declare to reader

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by: *Yang Jinghua* Checked by: *chengpeng* Approved by: *liyou*

MSDS Creation Date: June 5, 2014

\*\*\*End of report\*\*\*

www.ponytest.com ☎Hotline 400-819-5688

Add: 北京市海淀区苏州街49-3号盖智大厦	Add: 上海市徐汇区桂平路680号35号楼4层	Add: 深圳市南山区创业路中兴工业城6栋1层	Add: 青岛市崂山区株洲路190号6层
Tel: (010) 82618116	Tel: (021) 64851999	Tel: (0755) 26050909	Tel: (0532) 88706866
Add: 天津市南开区红旗路嘉泰大厦10层	Add: 宁波市高新区新晖路150号二期4号楼4层	Add: 广州市海珠区敦和路189号海珠科技园3号楼7层	
Tel: (022) 27360730	Tel: (0574) 87736499	Tel: (020) 89224310	